North America's Leader in Hazardous Material Information Management

1905 Aston Avenue, Carlsbad, CA 92008 Phone (800) 451-8346 Fax (760) 602-8888

MSDS PRODUCT INFORMATION

Date: 10/07/2005

To: MSDS Requester

From: 3E Company

Subject: The MSDS you have requested

[] MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communicatin Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

[] MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

[] MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

[X] MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: SureCo, Inc.

Product Name: Black Leaf Vitamin B1 Plus Plant Starter Solution

MATERIAT SAFETY DATA SHEET

P.O. BOX 16458 FRESNO, CA 93755

EMERGENCY TELEPHONE NUMBER 24 HOUR EMERGENCY TELEPHONE NUMBER (209) 226-1934 CHEMTREC: (800) 424-9300 SECTION 1 NAME PRODUCT/TRADE NAME: BLACK LEAF VITAMIN BI PLUS PLANT STARTER SOLUTION EPA REGISTRATION #: 8002-1-AA-5887 CHEMICAL NAME/COMMON NAME: 1-Naphthaleneacetic acid/NAA Orthophosphoric Acid/Phosphoric Acid Ethylenediaminetetra Acetate Iron/Iron EDTA SECTION 2 HAZARDOUS INGREDIENTS OSHA PEL ACGIH TLV CAS# .04% 86-87-3 NE NE Phosphoric Acid 28 NE NE 7664-38-2 Iron EDTA .18 16485-47-5 lmg/m31 mg/m3 SECTION 3 PHYSICAL DATA SPECIFIC GRAVITY (H20 = 1): 1.220 MELTING POINT: NA VAPOR DENSITY (AIR = 1): >1 % VOLATILES BY VOL.: NE ODOR: Odorless APPEARANCE: Light Brown Liquid FLASH POINT/METHOD: NA VAPOR PRESSURE (mmHq): NE SOLUBILITY IN H20: Soluble SECTION 4 FIRE & EXPLOSION HAZARD [X] Water Fog [X] Foam [] Alcohol Foam EXTINGUISHING MEDIA: [X] CO2 [X] Dry Chemical { } Other FIRE FIGHTING PRECAUTIONS & HAZARDS: Fight fire upwind. Wear positive pressure, self-contained breathing apparatus and full protective equipment. Dike to prevent entering drains, sewers or water courses. SECTION 5 CARCINGGEN STATUS [] OSHA [] NTP [] IARC **[X]** No Listing Туре SECTION 6 REACTIVITY [X] Stable HAZARDOUS POLYMERIZATION { } Unstable [X] Will Not Occur [] May Occur AVOID: HAZARDOUS DECOMPOSITION PRODUCTS: Strong alkaline COx

SECTION 7 SPILL OR LEAK PROCEDURES STEPS TO BE TAKEN IN CASE OF SPILL:

Wear appropriate personal and respiratory protective equipment. Absorb with inert material and place in approved disposal containers.

[] Chronic [] Flammable

SECTION 11 REGULATORY DATA

[] Acute

....... TOT TOTTUNG CHELEUR. The near change continue to

SARA HAZARD

Page 3
Product/Trade Name: BLACK LEAF VITAMIN B1 PLUS PLANT STARTER

CERCLA: [RCRA: [NFPA Hazard Ratine Health: [1 Pire: [1]	Yes Yes Yes	[X]	No No	Chemical:
RCRA: [VFPA Hazard Ration Health: [1] Yes	[X]	No	
Health: [1			1	
			1	NFPA Hazard Rating Scale:
rire: [1				0=Minimal 3=Serious
				1=Slight 4=Severe
Reactivity: [0				2=Moderate
Special: [
HMIS Codes:				HMIS Hazard Rating Scale:
Health: [1				
Fire: [1]				
Reactivity: [0				I=511ght 4=Severe 2=Moderate

REVISED DATE: July 29, 1990
Notice: This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.
*Technical Material NE - Not Established NA - Not Applicable

[1000BLVB.MSD]